



SMART*toolbox*Manual Smart MIC Audio Mixer



1	Ge	neral Information	. 2
2	Ins	stallation	. 2
3	Us	ing the Smart MIC AUDIO MIXER	. 3
	3.1	Configuration of the MIC AUDIO MIXER	3
	3.2	Use the MIC AUDIO MIXER	4

1 General Information

MIP (Milestone Integration Platform) plugins and applications are dynamically loaded from the Milestone applications and services, which allows a simple installation and use.

The Smart MIC AUDIO MIXER overlay plugin is part of the Smart Toolbox suite, which is running on the Smart Client.

2 Installation

The installation of the all Toolbox Plug-ins are described in the Toolbox Installation Document which is valid for all the Plugins inside the Toolbox.

Please note, that the Smart MIC AUDIO MIXER is running on the Smart Client and needs the two Step installation:

→ Server Side Installation

→ Download from Download Manager and Client Side Installation

After the Client Side installation, the Smart MIC AUDIO MIXER is ready for use in the Smart Client.




3 Using the Smart MIC AUDIO MIXER

The Smart MIC AUDIO MIXER allows you hear multiple Audio Sources from Microphones at the same time.

3.1 Configuration of the MIC AUDIO MIXER


Use the "Audio mixer" button in the upper right corner to open the Microphone source window and press on the "Select Microphones" button to enter the individual Microphone settings. Enable all Microphones you want to hear and setup the Volume for each Source.





3.2 Use the MIC AUDIO MIXER

Once you have enabled and adjusted the Volume for your Microphone Channels, the Audio is played in live and playback mode. The Audio mixer Button toggles the visibility of the Mic setting window.





Contact:

EET (Schweiz) GmbH Bösch 108 CH-6331 Hünenberg Switzerland

Phone: +41 41 785 13 13

Mail: security@eetgroup.ch
Web: https://smart.eetsecurity.ch